

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, Makoto Suzuki, a citizen of Japan residing at Kawasaki, Japan have invented certain new and useful improvements in

INFORMATION TERMINAL EQUIPMENT AND STORAGE MEDIUM

of which the following is a specification : -

TITLE OF THE INVENTION

INFORMATION TERMINAL EQUIPMENT AND STORAGE  
MEDIUM

5 BACKGROUND OF THE INVENTION

This application claims the benefit of a Japanese Patent Application No.2000-331342 filed October 30, 2000, in the Japanese Patent Office, the disclosure of which is hereby incorporated by  
10 reference.

1. Field of the Invention

The present invention generally relates to information terminal equipments and storage media, and more particularly to an information terminal  
15 equipment which can switch information and functions to be used, and to a computer-readable storage medium which stores a program for causing a computer to switch information and functions to be used.

In this specification, an information  
20 terminal equipment refers to personal computers, electronic mail apparatuses, intelligent television apparatuses, intelligent telephone sets, mobile telephone sets, portable communication terminal equipments and the like which are designed to switch  
25 information and functions to be used. The information terminal equipment may be a portable type apparatus.

2. Description of the Related Art

In a conventional information terminal  
30 equipment, a user must manually select a desired function or information from all of the functions and all of the information. Because the selection is made manually, it is impossible to quickly select the desired function or information. In addition,  
35 there is a possibility of erroneously selecting the function or information.

For example, when the user is using a

mobile telephone set and talking to a friend, the user may wish to let his friend know a telephone number of another friend. In this case, the user must select a directory function of the mobile  
5 telephone set. If the directory is divided into a work directory and a private directory, the user must select the private directory, and then search for a target telephone number in alphabetical order on the directory, for example. These selection and  
10 search processes are normally carried out in response to a key operation. Accordingly, if the user is not skilled or familiar with the operation of the mobile telephone set, it takes considerable time for the user to find the target telephone  
15 number, and if an erroneous operation is made, it may be necessary in some cases to restart the whole operation from the beginning.

Therefore, according to the conventional information terminal equipment, the user must  
20 manually select the desired function or information, and there were problems in that the manual selection requires a troublesome and time-consuming operation, and that there is a possibility of the user making an erroneous operation.

25

#### SUMMARY OF THE INVENTION

Accordingly, it is a general object of the present invention to provide a novel and useful information terminal equipment and computer-readable  
30 storage medium, in which the problems described above are eliminated.

Another and more specific object of the present invention is to provide an information terminal equipment and a computer-readable storage  
35 medium, which enable quick and automatic selection of a function or information having a high possibility of being used, and enable an erroneous

operation to be reduced.

Still another object of the present invention is to provide an information terminal equipment comprising a managing part managing  
5 functions and/or information in a manner linked to a plurality of using situations, a switch setting a using situation, and a control part automatically selecting a function and/or information from the managing part depending on the using situation set  
10 by the switch, and making the selected function and/or information usable by a user. According to the information terminal equipment of the present invention, it is possible to enable quick and automatic selection of a function or information  
15 having a high possibility of being used, and enable an erroneous operation to be reduced.

A further object of the present invention is to provide an information terminal equipment comprising a managing part managing functions and/or  
20 information in a manner linked to a plurality of using situations, a detector detecting a using situation, and a control part automatically selecting a function and/or information from the managing part depending on the using situation  
25 detected by the detector, and making the selected function and/or information usable by a user. According to the information terminal equipment of the present invention, it is possible to enable quick and automatic selection of a function or  
30 information having a high possibility of being used, and enable an erroneous operation to be reduced.

Another object of the present invention is to provide a computer-readable storage medium which stores a program comprising managing means for  
35 causing a computer to manage functions and/or information in a manner linked to a plurality of using situations, and control means for causing the

computer to automatically select a function and/or  
information from the managing means depending on a  
using situation set by a switch, and to make the  
selected function and/or information usable by a  
5 user. According to the computer-readable storage  
medium of the present invention, it is possible to  
enable quick and automatic selection of a function  
or information having a high possibility of being  
used, and enable an erroneous operation to be  
10 reduced.

Still another object of the present  
invention is to provide a computer-readable storage  
medium which stores a program comprising managing  
means for causing a computer to manage functions  
15 and/or information in a manner linked to a plurality  
of using situations, detecting means for causing the  
computer to detect a using situation, and control  
means for causing the computer to automatically  
select a function and/or information from the  
20 managing means depending on the using situation  
detected by the detecting means, and to make the  
selected function and/or information usable by a  
user. According to the computer-readable storage  
medium of the present invention, it is possible to  
25 enable quick and automatic selection of a function  
or information having a high possibility of being  
used, and enable an erroneous operation to be  
reduced.

Other objects and further features of the  
30 present invention will be apparent from the  
following detailed description when read in  
conjunction with the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

35 FIG. 1 is a system block diagram showing a  
first embodiment of an information terminal  
equipment according to the present invention;

FIGS. 2A and 2B are diagrams for explaining databases of personal information;

FIG. 3 is a diagram showing a displayed list of application programs having related data;

5           FIG. 4 is a flow chart for explaining the operation of the first embodiment;

FIG. 5 is a flow chart for explaining the operation of a second embodiment of the information terminal equipment according to the present invention;

FIG. 6 is a flow chart for explaining the operation of a third embodiment of the information terminal equipment according to the present invention; and

15           FIG. 7 is a flow chart for explaining the operation of a fourth embodiment of the information terminal equipment according to the present invention.

20   DESCRIPTION OF THE PREFERRED EMBODIMENTS

A description will be given of various embodiments of an information terminal equipment according to the present invention and a computer-readable storage medium according to the present invention, by referring to the drawings.

FIG. 1 is a system block diagram showing a first embodiment of the information terminal equipment according to the present invention. In this embodiment, the present invention is applied to a mobile telephone set.

30           An information terminal equipment (mobile telephone set) 1 generally includes a CPU 2, a ROM 3, a RAM 4, an operation part 5, a clock part 6, a position detector 7, a wireless transmitter and receiver part 8, a display part 9, and an antenna part 10 which are connected as shown in FIG. 1. The CPU 2 controls the operation of the information

terminal equipment 1 as a whole. The ROM 3 has a rewritable structure, and stores programs to be executed by the CPU 2, various kinds of data, databases, and the like. The RAM 4 temporarily  
5 stores input and output data of the information terminal equipment 1, intermediate data of computing processes carried out by the CPU 2, and the like. The operation part 5 is made up of various keys or buttons including a ten-key and the like, and  
10 various switches including a power switch and the like. The clock part 6 manages time information, and manages calendar information related to the year, month, date and day, the time, time band information, and the like. The position detector 7 detects the  
15 position of the information terminal equipment 1 by a known technique such as GPS. The wireless transmitter and receiver part 8 makes transmissions and receptions via the antenna part 10 by a known technique. The display part 9 is made up of a LCD  
20 panel or the like, for example, and displays information input from the operation part 5, information and menus read from the ROM 3, and the like.

The ROM 3 and the RAM 4 may be formed by a  
25 single memory part. The operation part 5 and the display part 9 may have an integral structure using a touch panel or the like. In addition, the position detector 7 may be omitted. Furthermore, in a case where the information terminal equipment 1 is  
30 to communicate via wire, the wireless transmitter and receiver part 8 and the antenna part 10 can of course be replaced by a known transmitter and receiver part and a known connector part.

In this embodiment, a function  
35 (application program) such as a directory of the CPU 2 that manages personal information, is added with a function which links (relates) the personal

information such as name, telephone number,  
electronic mail address (hereinafter simply referred  
to as a mail address), company, address and day, to  
another function (application program) or  
5 information. In addition, the function of linking  
to another function (application program) or  
information such as the personal information, is  
also added to functions (application programs) such  
as a scheduler, electronic mail managing software,  
10 word processing software and tabulation software.  
In other words, the CPU 2 manages the functions  
and/or information by linking the functions and/or  
information to a plurality of using situations or  
conditions. Accordingly, by detecting the using  
15 situation, it is possible to automatically select  
and use a function and/or information depending on  
the detected using situation.

For example, if an operation mode of the  
information terminal equipment 1 can be set by  
20 switching between a work mode which is used for  
business use and a private mode which is used for  
personal use by operating a key or switch of the  
operation part 5, the CPU 2 can automatically judge  
the functions and information linked to the set  
25 operation mode based on a database within the ROM 3.  
Hence, it is possible to automatically access only  
the functions and information linked to the set  
operation mode, under a control of the CPU 2. The  
automatically accessible functions and information  
30 are displayed on the display part 9, so that the  
user only needs to select a desired function and/or  
information from the automatically accessible  
functions and information. As a result, it is  
possible to quickly and accurately access the  
35 desired function and/or information.

FIGS. 2A and 2B are diagrams for  
explaining databases of personal information. In



the case shown in FIG. 2A, the database of the personal information includes the name, telephone number, mail address, company, address, day and time, and accounting destination. The personal  
5 information of this database is stored in the ROM 3 under the management of the CPU 2. The database itself can be created using an existing directory (software) function. In this embodiment, the personal information included in this database is  
10 linked to a specific using situation (or operation mode), function and information.

In the case shown in FIG. 2B, the database of the personal information includes the name, telephone number, mail address, company address,  
15 private, and accounting destination. The personal information of this database is stored in the ROM 3 under the management of the CPU 2. The database itself can be created using an existing directory (software) function. In this embodiment, the  
20 personal information included in this database is linked to a specific using situation (or operation mode), function and information. In the "private" column of the database, a value "1" is set when the operation mode of the information terminal equipment  
25 1 is the private mode, and a value "0" is set when the operation mode of the information terminal equipment 1 is the work mode.

FIG. 3 is a diagram showing a list of application programs (functions) having related data,  
30 displayed on the display part 9. The displayed list includes the application program name, case name, and person concerned. For the sake of convenience, FIG. 3 shows a case where the scheduler, the word processing software and the tabulation software have  
35 related data. These application programs are linked, and are linked to other functions and/or information if necessary.

The linking itself of the functions and/or information may be realized by a known technique. For example, the functions and/or information may be linked by adding the same flag or index, and the link may be formed hierarchically.

FIG. 4 is a flow chart for explaining the operation of this first embodiment. The operation shown in FIG. 4 corresponds to the process carried out by the CPU 2.

In FIG. 4, a step S1 detects the switching of the operation mode of the information terminal equipment 1 in response to an operation of the key or switch of the operation part 5 by the user. A step S2 decides whether the operation mode is switched to the work mode for business use or the private mode for personal use. In the case of the work mode, a step S3 fixes the information terminal equipment 1 to a mode capable of calling only telephone numbers related to business use. A step S4 automatically sets the information terminal equipment 1 to a state which can easily call the telephone numbers related to business use and easily utilize pay services which can be utilized. For example, the telephone numbers related to business use which may be called, and the pay services which may be utilized, are displayed on the display part 9 for selection by the user. Of course, the step S4 may display, on the display part 9, the personal information which is related to the telephone numbers related to business use within the database shown in FIG. 2A, and the application programs which may be utilized in the work mode and the information related to the application programs within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for selection by the user. In addition, a step S5 automatically makes the accounting to the

business account if the call to the telephone number related to business use and/or the pay service is utilized in the step S4, and the process ends.

On the other hand, in the case of the  
5 private mode, a step S6 fixes the information terminal equipment 1 to a mode capable of calling only telephone numbers related to personal use. A step S7 automatically sets the information terminal  
10 equipment 1 to a state which can easily call the telephone numbers related to personal use and easily utilize pay services which can be utilized. For example, the telephone numbers related to personal use which may be called, and the pay services which may be utilized, are displayed on the display part 9  
15 for selection by the user. Of course, the step S7 may display, on the display part 9, the personal information which is related to the telephone numbers related to personal use within the database shown in FIG. 2A or 2B, and the application programs  
20 which may be utilized in the private mode and the information related to the application programs within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for selection by the user. In  
25 addition, a step S8 automatically makes the accounting to the private (personal) account if the call to the telephone number related to personal use and/or the pay service is utilized in the step S7, and the process ends.

30 Next, a description will be given of a second embodiment of the information terminal equipment according to the present invention. In this second embodiment of the information terminal equipment and third and fourth embodiments of the  
35 information terminal equipment which will be described later, the basic structure of the information terminal equipment may be the same as

that of the first embodiment shown in FIG. 1, and an illustration and description thereof will be omitted.

FIG. 5 is a flow chart for explaining the operation of this second embodiment. The operation  
5 shown in FIG. 5 corresponds to the process carried out by the CPU 2.

In FIG. 5, a step S11 detects the selection of an operation mode of the information terminal equipment 1 from one of telephone reception,  
10 telephone transmission, mail reception and mail transmission modes which use the wireless transmitter and receiver part 8, in response to an operation of the key or switch of the operation part 5 by the user. A step S12 decides whether or not  
15 the telephone number of the other party of the telephone reception or telephone transmission is included in the database within the ROM 3 or, decides whether or not the mail address of the other party of the mail reception or mail transmission is  
20 included in the database within the ROM 3. If the decision result in the step S12 is YES, a step S13 automatically extracts the personal information such as the name related to the telephone number or the mail address of the other party, from the database  
25 shown in FIG. 2A or 2B, and displays the extracted personal information on the display part 9 for easy utilization or selection by the user. A step S14 displays the application programs and/or information related to the personal information extracted by the  
30 step S13 on the display part 9, within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for selection by the user. A step S15 starts one or a plurality of functions which are selected, and the  
35 process ends.

On the other hand, if the decision result in the step S12 is NO, a step S16 displays on the

display part 9 a message such as "There is no related information.". In addition, a step S17 adds the present data, that is, the telephone number or mail address of the other party, to the database within the ROM 3, and the process ends.

Therefore, according to this embodiment, the using situation of the information terminal equipment 1 is detected based on the type of information which is transmitted or received via the wireless transmitter and receiver part 8. In other words, if the using situation is the telephone receiving mode, for example, the CPU 2 can automatically judge the functions and/or information linked to the information (telephone number) which is received by the telephone reception, based on the database within the ROM 3. In addition, under the control of the CPU 2, it is possible to automatically access only the linked functions and/or information. The automatically accessible functions and/or information are displayed on the display part 9.

Next, a description will be given of the third embodiment of the information terminal equipment according to the present invention. FIG. 6 is a flow chart for explaining the operation of this third embodiment. The operation shown in FIG. 6 corresponds to the process carried out by the CPU 2.

In FIG. 6, a step S21 detects day and time information based on time information from the clock part 6. A step S22 decides whether it is business time or private time, based on the detected time information. For example, the business time is a time band of 9:00 to 17:00, Monday to Friday, when the user works. On the other hand, the private time is a time band other than the business time. In the case of the business time, a step S23 fixes the

information terminal equipment 1 to a mode which can call only to the telephone numbers related to business use. A step S24 automatically sets the information terminal equipment 1 to a state which  
5 can easily call the telephone numbers related to business use and can easily utilize the pay services which can be utilized. For example, the telephone numbers related to business use which may be called, and the pay services which may be utilized, are  
10 displayed on the display part 9 for selection by the user. Of course, the step S24 may display, on the display part 9, the personal information which is related to the telephone numbers related to business use within the database shown in FIG. 2A, and the  
15 application programs which may be utilized in the work mode and the information related to the application programs within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for  
20 selection by the user. In addition, a step S25 automatically makes the accounting to the business account if the call to the telephone number related to business use and/or the pay service is utilized in the step S24, and the process ends.

25 On the other hand, in the case of the private time, a step S26 fixes the information terminal equipment 1 to a mode which can call only to the telephone numbers related to personal use. A step S27 automatically sets the information terminal  
30 equipment 1 to a state which can easily call the telephone numbers related to personal use and can easily utilize the pay services which can be utilized. For example, the telephone numbers related to personal use which may be called, and the  
35 pay services which may be utilized, are displayed on the display part 9 for selection by the user. Of course, the step S27 may display, on the display

part 9, the personal information which is related to the telephone numbers related to personal use within the database shown in FIG. 2A, and the application programs which may be utilized in the private mode and the information related to the application programs within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for selection by the user. In addition, a step S28 automatically makes the accounting to the personal account if the call to the telephone number related to personal use and/or the pay service is utilized in the step S27, and the process ends.

According to this embodiment, the using situation is detected base on the time information obtained from the clock part 6. In other words, if the using situation is the private time, for example, the CPU 2 can automatically judge the functions and/or information linked to the private time based on the database within the ROM 3, and it becomes possible to automatically access only the linked functions and/or information under the control of the CPU 2. The automatically accessible functions and/or information are displayed on the display part 9.

In the case of the database shown in FIG. 2B, it is possible to judge whether the operation mode of the information terminal equipment 1 is the private mode or the business mode based on whether the value set in the "private" column is "1" or "0", instead of using the time information.

Next, a description will be given of the fourth embodiment of the information terminal equipment according to the present invention. FIG. 7 is a flow chart for explaining the operation of this fourth embodiment. The operation shown in FIG. 7 corresponds to the process carried out by the CPU

2.

In FIG. 7, a step S31 detects position information related to the present position of the information terminal equipment 1 by the position  
5 detector 7. A step S32 decides whether or not the detected position information is included in the database within the ROM 3. For example, if the present position is within the Shibuya-Ward of Tokyo, the step S32 decides whether or not information  
10 having the Shibuya-Ward as the address is included in the database. If the decision result in the step S32 is YES, a step S33 automatically extracts the personal information such as the name including the detected position information, from the database  
15 shown in FIG. 2A or 2B, and displays the extracted personal information on the display part 9 for easy utilization or selection by the user. A step S34 displays the application programs and/or information related to the personal information extracted by the  
20 step S33 on the display part 9, within the displayed list of application programs shown in FIG. 3, and the display may be made in a selectable manner for selection by the user. A step S35 starts one or a plurality of functions which are selected, and the  
25 process ends.

On the other hand, if the decision result in the step S32 is NO, a step S36 displays on the display part 9 a message such as "There is no related information.". In addition, a step S37 adds  
30 the present data, that is, the detected position information, to the database within the ROM 3, and the process ends.

Therefore, according to this embodiment, the using situation of the information terminal  
35 equipment 1 is detected based on the position information detected by the position detector 7. In other words, if the using situation is within the



Shibuya-Ward as described above, for example, the CPU 2 can automatically judge the functions and/or information linked to the address within the Shibuya-Ward based on the database within the ROM 3, and it becomes possible to automatically access only the linked functions and/or information under the control of the CPU 2. The automatically accessible functions and/or information are displayed on the display part 9.

10           The computer-readable storage medium according to the present invention is formed by a recording medium which stores a program for causing a computer to carry out the operation of any one of the first through fourth embodiments of the  
15           information terminal equipment according to the present invention described above. In the case of the information terminal equipment 1 shown in FIG. 1, the computer is formed by the CPU 2, and the recording medium is formed by the ROM 3 or the RAM 4.  
20           Of course, the recording medium forming the computer-readable storage medium is not limited to semiconductor memory devices such as the ROM and the RAM, and any type of medium capable of storing the program in a manner readable by the computer, such  
25           as magnetic disks, magneto-optical disks, CD-ROMs and IC card memories, may be used as the recording medium.

          In each of the embodiments described above, the functions and/or information which are displayed  
30           for selection by the user is selectable by the key or switch of the operation part 5. However, if the information terminal equipment 1 is provided with a voice recognition part, it is of course possible to select the displayed functions and/or information  
35           using a known voice recognition technique.

          In addition, in the described embodiments, the information terminal equipment is a mobile

telephone set. However, the information terminal  
equipment is not limited to the mobile telephone set,  
and the present invention is similarly applicable to  
personal computers, electronic mail apparatuses,  
5 intelligent television apparatuses, intelligent  
telephone sets, mobile telephone sets, portable  
communication terminal equipments and the like which  
are designed to switch information and functions to  
be used. Moreover, the information terminal  
10 equipment is not limited to a portable type  
apparatus.

Further, the present invention is not  
limited to these embodiments, but various variations  
and modifications may be made without departing from  
15 the scope of the present invention.

20

25

30

35